STUDIES ON EFFECT OF THE SEED COATING SUBSTANCES AGAINST PADDY SEED BORNE FUNGI AND THEIR SHELF-LIFE DURING STORAGE

V. BHARATHI, N. V. NAIDU, M. SUDHA RANI, K. KANAKA DURGA

Abstract: A laboratory experiment was conducted to evaluate the effect of different seed coating materials and storage containers on germination, seedling vigour and suitability of packaging material for Paddy seed. Alternative methods for seed quality enhancement through various seed coating techniques were carried out in Paddy up to six months storage period at SRTC, Rajendranagar for two years 2012 and 13 to minimize the seed borne pathogens which causes enzyme degradation and nutritive loss in seed germination during storage period. The experiment was conducted with six treatments in four replications with different seed coating techniques. Seed coating with polymer (polykote @ 4 ml/kg seed + Vitavax 200 (Thiram 37.5% + Carboxin 37.5%), 2g kg-1 seed (T5) induced maximum suppression of the fungal mycoflora followed by polymer coating across the storage period up to six months in both gunny bags and HDPE bags. Maximum germination percent (94%) and seedling vigour index (2241) was recorded with polykote + Vitavax 200 compared to control and other treatments. The fungicide seed treatments are the most used traditional application to protect the seeds and young seedlings from many seed-and soil-borne pathogens, Polycoat seed treatment was the next best in maintaining seed quality which induced maximum suppression of fungi but the response was relatively lower compared to polykote + Vitavax 200 treatment. Coated seed with Polykote and Vitavax 200 was proved to be the best even with gunny bag and HDPE bag up to nine months storage period.

Key words: Seed quality, polymer, polycoat, Vitavax 200, Gunnybag and High density polythene bag (HDPE), storage, Paddy.

Introduction: Paddy is the staple food of over half the world's population. The qualitative loss in stored seed for seed purpose is attributed to change in biochemical components such as carbohydrates, proteins. Insect pests and seed born disease incidence is of paramount importance are the constraints influencing the storability of rice seed,. nMost of the field crops grown in the world are propagated via the seed and all of them are attacked by devasting seed borne pathogens. The rice crop (Oryza sativa) is known to be attacked by many pathogenic seed borne fungi; e.g. Bipolaris sp (brown spot), Rhizoctonia sp. (stackburn), Fusarium sp (Kernel smut), Curvularia sp, Magnapartha (blast). Important storage fungi are Aspergillus flavus and Aspergillus niger. Fungi contamination is a major cause leading to seed deterioration of rice grain qualities (Hewett, 1987). Moreover the fungal pathogens normally attached to the seed, so it is difficult to find out the chemical substances that will destroy the fungus without harming the seeds, since the toxicity of fungicides has been ascribed to produce phytotoxic compounds which induces sometimes seed deterioration (Han, 2000). Therefore, it is essential to assess rice seed quality parameters during extended period of ambient storage by using polymer coating and minimum quantity of fungicides. Seed coating is a process of applying useful material to form a continuous layer of thin coating over the seed without altering the shape or size, by employing water as the solvent. Seed coating polymers along with active ingredients such as insecticides and

fungicides are invogue. This helps in improving the resistance of seeds towards insect pest and diseases in the plant growth period besides improving the seedling vigour (Shakuntala *et al.*, 2010). The polymer coat provides protection from the stress imposed by accelerated ageing, which includes fungal invasion (Baig *et al.*, 2005). The coat is thin (8 µm), simple to apply, diffuse and provides protection against ageing which includes fungal invasion. The polymer film reported to reduce the leaching of inhibitors from the seed coat and may restrict oxygen diffusion to the embryo (Duan and Burris, 1997). Through the present investigation an attempt was made to study the effect of seed polymer coating on seed quality of sunflower during storage.

Materials and Methods: The experiment was conducted at Seed Research and Technology Centre, Rajendranagar (National Seed Project) ANGRAU during 2012-13 to know the effect of seed coating with polymer, fungicide and container on seed quality of sunflower during storage. The freshly harvested seeds were taken cleaned and dried to seven per cent moisture content and then imposed with the seed treatments. The treatment combinations include

T1-polymer seed coating @ 4 ml/kg of seeds (T1),

T2-Polymer seed coating @ 4 ml/kg of seeds + fungicide thiram 75% WP @ 2.5 g kg-1 seed

T₃- Polymer @ 5 ml/kg of seeds + flowable thiram (Royal flow 40 SC)

T4-Vitavax 200 fungicide treatment

T₅-Polymer seed coating + Vitavax 200 (Thiram 37.5% + Carboxin 37.5%), 2g kg-1 seed (T₅)

ISBN 978-93-84124-44-1 319

T6- untreated control (T6).

The liquid polymer used for seed coating was polykote manufactured by Witle's oriental Balm and PHS limited, Chennai. One hundred grams of seeds was taken in a polythene bag and added a polymer coating @ 4 ml per kg of seeds (T1). The bag was closed tightly trapping air in it to form a ballon then polybag was vigorously shaken till the seeds are uniformly coated. Later the treated seeds were spread on a sheet under the shade and dried completely. The dried seeds were used for the experiment. One hundred grams of seeds were taken in a polythene bag initially they are treated with fungicides thiram WP @ 2.5 g kg-1, and followed by polymer coating (T2), One hundred grams of seeds were taken in a polythene bag initially they are treated with fungicides flowable thiram 2.4 ml kg-1 (T3), One hundred grams of seeds were taken in a polythene bag treated with fungicides vitavax @ 2g kg-1 (T4), One hundred grams of seeds were taken in a polythene bag initially coated with polymer coating and they are treated with fungicides Vitavax @ 2g kg-1 (T₅). Respective treated seed in were uniformly spread on a sheet under the shade for drying. The dried seeds were used for experiment. One hundred grams of seeds were untreated and kept as control

Germination assay: The treatmental effect on germination seed health was recorded by rolled paper towel method Blotter method (Annon, 1996) as per ISTA rules.

Seedling vigour: One hundred seeds in each treatment were tested for germination petridishes with filterpaper placed in them. The number of normal seedling were counted at two days interval and cumulative germination obtained on the 8th day was recorded. Percent seed germination was then expressed as number of seeds germinated over total number of seeds plated. Seedling vigour index was calculated using the formula (Abdulbaki and Anderson, 1973).

Enumeration of total fungal colonies by Blotter method: Discs of blotter paper were kept in 90 mm petri plates. Blotter discs were wiped in beaker containing sterile distilled water with the help of forceps and placed at the bottom of each sterilized petriplate. Two hundred seeds from each treatment were tested in 20 plates of 10 seeds each. Petriplates were labeled and incubated at 25+2°C under alternating cycles of 12 hr light and 12 hr day for nine days in BOD incubator. The plates were examined under stereo binocular microscope on 9th day of incubation in standard blotter method. Infestation levels were recorded as percentage of infested seeds in each sample. Percent seed rot and seedling decay were recorded for the treated seeds in blotter method

Statistical analysis: Statistical analysis was done using Duncan's multiple range test at 5% Significance according to **Snedecor and Cochran (1980)**

Results and Discussion: Data pertaining to germination (%),vigour index, and seed borne infection (%) as influenced by seed coating treatments and storage containers are presented in the Table 1, 2 and 3. The results showed significant differences with respect to germination and vigour due to seed coating treatments. Treatment with results were obtained due to polymer coating differed significantly for the seed quality parameters. All the treatments recorded significantly higher germination up to six months of storage compared to control. Irrespective of containers, among the different treatment combinations, seed coating with polymer polykote @ 4 ml/kg seed + Vitavax 200 recorded maximum germination (94%) and vigour index (2241) followed by polymer coating (Table 1& 3). Omar and Rahhal (1993) recorded that seed coating with thiram increased the percentage of seedling survival in soybean compared to untreated control. Wilson and Geneve (2004) also reported that corn seed coated with polymer and fungicide resulted higher germination (98.5%), less number of abnormal seedlings compared to control (89.0%), During initial months of storage, seedling vigour index of all the seed coating treatments was superior to that of control.

Among the containers, storage of seed in HDPE bag recorded higher germination and vigour. Seeds stored in HDPE bag results in maximum germination than seeds stored in Gunny bag. Germination was above 80 per cent in the polymer coating + fungicide treatment over a period of six months even in gunny bag in both years which was above certification standards. In the initial stage of storage there was no significant difference among the containers, but with the increase in the storage period the decline in germination was significant between the two containers. The decline in germination may be attributed to accelerated ageing leading to depletion of food reserves and polymer prevention of damage from the death of seed due to fungal invasion (Manjunatha et al. 2008). It was observed that up to sixth months of storage germination per cent was above MSCS Level in both the containers but with the increase in storage period it was decreased. Higher germination percentage can be seen in polymer coated seeds stored either in gunny bag or HDPE bag due to increase in the rate of imbibition. These results are in agreement with the findings of (where in they proved the Sherien *et al.* 2005). of pink polykote @ 3g/kg of seed + fungicide + insecticide in maize. Maximum mean percent germination and vigour index (92%) and (90%) by polykote +Vitavax treated seed even after

IMRF Journals 320

six months storage. In uncoated seeds at the end of six months of storage germination was drastically reduced in control. It may be due to age induced decline in germination, decrease in dry matter accumulation in seedling and decrease in seedling dry weight. Similar findings were reported by Savitri et al. (1994) in Sorghum. The fungi observed during storage period are Curvularia, Aspergillus, Penicillium, Rhizopus, Colletotrichum and fusarium spp. During six months storage period maximum infection was observed in gunny bag compared to HDPE bag. Among the seed treatments (Table 2) seeds coated with polymer + Vitavax 200 significantly reduced seed infection (3.13 and 3.91%) followed by T1 (5.30 and 5.91%) and it was low compared to control (24.6 and 24.8%). Basavaraj et al. (2008) also reported similar results of higher germination and low seed infection and electrical conductivity compared to control in onion seeds coated with polymer @ 12 ml + thiram @ 2g/kg seeds. Per cent infection was less in treated seed stored in gunny bag as compared to untreated seed stored in gunny bag. This may be attributed to profound growth and development of seeds with maximum enzyme activity promoted by

polymer coating and vitavax 200 which resulted in higher vigour index and high quality seed development and maintenance of membrane integrity and minimum fungal invasion. The treated seeds regained better enzyme activity compared to untreated seeds during storage. These results are in conformity with the results of Manojkumar and Agarwal (1998). Minimal pathogen infection in seeds coated with polymer + fungicide had been reported by many researchers like in Soybean (Baig et al., 2005) and Tomato (Manjunatha et al. (2008). From the present investigation it can be concluded the Paddy seeds can be stored for six months in Gunny bag without affecting the seed quality by treating the seed with Polymer seed coating @ 5 g/kg of seed +Vitavax 200 or alone Polymer coating @ 4ml /kg

Conclusion: Polymer coating enables accurate and reduces chemical wastage. It also provides resistance against mechanical damage in the seed drill. Thus improves the appearance and quality of treated seeds. Storage with polymer coating in gunny bag was found suitable and sustainable.

References:

- 1. Abdul Baki, A.A. and Anderson, J.D. 1973. Vigour determination in Soybean seed by multiple criteria. *Crop Science* 13: 630-633
- 2. Anonymous, 1999. International Rules for Seed Testing. Seed Science & Technology 27:25-30.
- 3. Baig Imran,P., Biraderpatil, N.K., Ninganur, B.T. and Patil, R.H.2005. Effect of fungicides and polymer coating on storability of soybean 2012. *JNKVV Research* **48**:78-83.
- 4. Basavaraj, B.O., Biradir Patil, N.K., Vyakaranhal, B.S., Basavaraj, N., Channappaaoudar, B.B. and Ravi Hundje .2008. Effect of fungicide and polymer film coating on storability of onion seeds. *Karnataka Journal of Agricultural Science* 21: 212-218.
- 5. Duan, X. and Burris, J. S. 1997. Film coating impairs leaching of germination inhibitors in Sugarbeet seeds. *Crop Science* 37:515-520
- 6. Han, J.H., 2000. Antimicrobial food packaging. Food Technol., 54: 56-65.
- 7. Hewett, P.D., 1987. Pathogen viability on seed in deep freeze storage. Seed Sci. Technol., 15: 73-77.
- 8. Manjunatha, S. N., Hunje Ravi, M., Vuakaranhal, B.S. and Kalappanavar, I. K. 2008. Effect of Seed Coating with Polymer, Fungicide and Containers on Seed quality of Chilli during Storage. *Karnataka Journal of Agricultural Science* 21: 270-273.
- 9. Manojkumar and Agarwal, V.K., 1998, Effect of fungicidal seed treatment on seed fungi,

- germiatnion and seedling vigour in maize. Seed Res., 26: 147-151
- 10. Omar, S. A. M. and Rahhal, M. M. H. 1993. Influence of fungicides on damping off disease and yield of Soybean. Egyptian Journal of Agricultural Research, 71: 65-74
- 11. Sathrupa Rao, V. and Subrata Sharma. 2012. Seed enhancement studies in tomato for germination and seedling emergence *JNKVV Research* 46: 18-21
- 12. Savitri, H., Suganakar Reddy, M. and Muralimohan Reddy, B. 1994.Effect of seed treatment with fungicides and insecticides on seed borne fungi, storage insect pest, seed viability and seedling vigour of Sorghum. *Seed Research*, 22(2): 146-155
- 13. Seetharam, A. Ranganatha, A. R. G. and Ravikumar, R. L. 2009. Crop Improvement strategies for sunflower in India. In vegetable oils scenario approaches to meet the growing demand Ed: D. M. Hegde, Directorate of Oilseeds Research Hyderabad. P.36
- 14. Shakuntala, N.M., Vyakaranhal, B. S., Shaker goud, I., Deshpande, V. K., Pujari, B. T. and Nadaf. H. L. 2010. Effect of seed polymer coating on growth and yield of sunflower hybrid RSFH-130 *Karnataka journal of Agric Sci* 23: 708-711
- 15. Sherin Susan John, A. Bharathi, P. Natesan and K. Raj 2005. Seed Film Coating Technology for Maximizing the Growth and Productivity of Maize. *Karnataka J.Agric.Sci.*, 18 (2):(349-356) 2005

ISBN 978-93-84124-44-1 321

- 16. Snedecor, G. W. and W. G. Cochran, 1980. Statistical Methods: Applied to experiments in Agriculture & Citation classics. PP 752
- 17. Wilson, T. T. and Geneve, R.L. 2004. The impact of film coating on initial water uptake and

imbibitional chilling injury in high and low vigour sh2sweet corn seeds. *Seed Science and Technology*, 32: 271-281.

Gunny	2 months								
Gunny	2 months Gunny HDPE			4 months HDPE		6 months Gunny HDPE			
bag	bag		Gunny	bag		Gunny	bag		
86.67	90.67	88.67	83.33	88.60	85.95	78.00	82.33	80.16	
		The second second second	The second second second	100000000000000000000000000000000000000	The second secon		The second second	(63.66)	
(001/0)	Property N	1,0,00	162,267	13950	(00.54)	194437	702-107	(03,00)	
87.33	88.67	88.0	3 0.6	26.6	28.60	30.00	38.67	34.33	
(69.24)	(70.44)	(69.84)	(33.6)	(31.06)	(32.33)	(33.15)	(38.31)	(35.73)	
discussion of the same of the	Seeman	Same and	and the second	San French	- Sec. 32	The same	Samuel Committee	Sattleagh	
86.33	86.00	86.16	62.60	68.61	65.60	46.67	77.67	62.17	
(68.32)	(68.24)	(68.28)	(52.42)	(58.91)	(54.20)	(43.07)	(61.82)	(52,44)	
Section 18							Service Services	2440.4	
88.00	87.33	87.65	42.0	59.3	50.65	46.67	47.33	47.00	
(69.77)	(70.76)	(70.26)	(40.37)	(50.38)	(45.37)	(43.00)	(43.46)	(43.23)	
		4,000,00					-20-47-112-02		
		0							
		The state of the s						90.50	
(74.53)	(78.72)	(70.02)	(70.70)	(14.33)	(72,40)	(10.07)	(74.02)	(72.58)	

	The same of the sa	ALCOHOLD TO THE REAL PROPERTY.		A CONTRACT OF THE PARTY.			and the state of t	15.66	
(32.76)	(39.30)	(30.17)	(23.08)	36.42)	(33.00)	(21.20)	(25,08)	(23.17)	
78.39			53.76			50.55			
(63.89)			(47.20)			(40.44)	(4)		
81.56			61.33			59.38	7)		
5.15			6.29			8.62			
7000000	27335		OLE STATE OF	1000000		CONST	200000-		
			The second second				1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
0.000.0	***	1		4.5.07.50			200		
	86.33 (68.32) 88.00 (69.77) 92.67 (74.53) 29.33 (32.78) 78.39 (63.89)	87.33 88.67 (69.24) (70.44) 86.33 86.00 (68.32) (68.24) 88.00 87.33 (69.77) (70.76) 92.67 96.00 (74.53) (78.72) 29.33 40.67 (32.78) (39.56) 78.39 (63.89) 81.56 (67.42) 5.15 2.32 0.81 4.01 1.28	87.33 88.67 88.0 (69.24) (70.44) (69.84) 86.33 86.00 86.16 (68.32) (68.24) (68.28) 88.00 87.33 87.65 (69.77) (70.76) (70.26) 92.67 96.00 94.33 (74.53) (78.72) (76.62) 29.33 40.67 35.00 (32.78) (39.56) (36.17) 78.39 (63.89) 81.56 (67.42) 5.15 2.32 0.81 4.01 1.28	87.33 88.67 88.0 30.6 (69.24) (70.44) (69.84) (33.6) 86.33 86.00 (68.32) (68.24) (68.28) (52.42) 88.00 87.33 87.65 42.0 (69.77) (70.76) (70.26) (40.37) 92.67 96.00 94.33 88.67 (74.53) (78.72) (76.62) (70.76) 92.67 (36.17) (23.08) 78.39 (63.89) (39.56) (36.17) (23.08) 78.39 (63.89) (47.20) 61.33 (67.42) (51.86) 5.15 6.29 2.32 0.81 2.25 4.01 1.28 3.28	87.33 88.67 88.0 30.6 26.6 (69.24) (70.44) (69.84) (33.6) (31.06) 86.33 86.00 86.16 62.60 68.61 (68.32) (68.24) (68.28) (52.42) (58.91) 88.00 87.33 87.65 42.0 59.3 (69.77) (70.76) (70.26) (40.37) (50.38) 92.67 96.00 94.33 88.67 92.62 (74.53) (76.62) (70.76) (74.53) 29.33 40.67 (76.62) (70.76) (74.53) 29.35 40.67 (36.17) (23.08) 38.42) 78.39 (63.89) (47.20) 81.56 (67.42) (51.86) (51.36 (51.86) 51.5 6.29 2.32 0.81 2.25 0.72 4.01 1.28 3.28 1.08	87.33 88.67 88.0 30.6 26.6 28.60 (69.24) (70.44) (69.84) (33.6) (31.06) (32.33) 86.33 86.00 (68.32) (68.24) (68.28) (52.42) (58.91) (54.20) 88.00 87.33 87.65 42.0 59.3 50.65 (69.77) (70.76) (70.26) (40.37) (50.38) (45.37) 92.67 96.00 (74.53) (78.72) (76.62) (70.76) (70.76) (74.53) (72.40) 92.33 40.67 (76.62) (70.76) (74.53) (72.40) 92.33 40.67 (32.78) (39.56) (36.17) (23.08) 38.42) (33.60) 93.39 (67.42) (51.86) 61.33 (67.42) (51.86) 5.15 6.29	87.33 88.67 88.0 30.6 26.6 28.60 30.00 (69.24) (70.44) (69.84) (33.6) (31.06) (32.33) (33.15) 86.33 86.00 86.16 62.60 68.61 65.60 46.67 (68.32) (68.24) (68.28) (52.42) (58.91) (54.20) (43.07) 88.00 87.33 87.65 42.0 59.3 50.65 46.67 (69.77) (70.76) (70.26) (40.37) (50.38) (45.37) (43.00) 92.67 96.00 94.33 88.67 92.62 90.64 88.67 (74.53) (78.72) (76.62) (70.76) (74.53) (72.40) (70.67) 29.33 40.67 (36.17) (23.08) 38.42) (33.60) (21.26) 78.39 (32.78) (39.56) (36.17) (23.08) 38.42) (33.60) (21.26) 78.39 (67.42) (51.86) (50.06) 5.15 6.29 8.62	87.33 88.67 88.0 30.6 26.6 28.60 30.00 38.67 (69.24) (70.44) (69.84) (33.6) (31.06) (32.33) (33.15) (38.31) 86.33 86.00 86.16 62.60 68.61 65.60 46.67 77.67 (68.32) (68.24) (68.28) (52.42) (58.91) (54.20) (43.07) (61.82) 88.00 87.33 87.65 42.0 59.3 50.65 46.67 47.33 (69.77) (70.76) (70.26) (40.37) (50.38) (45.37) (43.00) (43.46) 92.67 96.00 94.33 88.67 92.62 90.64 88.67 92.33 (74.53) (78.72) (76.62) (70.76) (74.53) (72.40) (70.67) (74.62) 92.33 40.67 35.00 15.4 32.3 30.70 13.33 18.00 (32.78) (39.56) (36.17) (23.08) 38.42) (33.60) (21.26) (25.08) 81.56 (67.42) (51.86) (51.86) (50.06) 5.15 6.29 8.62	

IMRF Journals 322

			storage	e (Pooled	analysis)				
		2 months			4 months	5		months	
Treatments	Gunny HDPE			Gunny	HDPE	Gunny HDPE			
	bag	bag		bag	bag		bag	bag	
Ti- Polymer	2.00	1.38	1.69	7.08	3.70	5.39	6.69	5.30	5.99
ating (polykote @ 3 ml/kg of seed	(8.014)	(6.66)	(7.33)	(15.43)	(11.08)	(13.25)	(14,90)	(13.31)	(14.10)
2 - T1 + Fungicide	10.06	12.19	11.13	9.99	10.06	10.02	22.19	22.0	22.09
hiram 75% WP @ 2.5g / kg);	(18.4)	(20.3)	(19.4)	(18 30)	(18.41)	(18.35)	(28.09)	(27.9)	(28.0)
T3 T1+	8.31	5.00	6.66	8.81	4.38	6.59	14.5	10.31	12.41
FlowableThiram	(16.6)	(12.8)	(14.7)	(16.55)	(11.9)	(14.22)	(22.3)	(18.6)	(20.4)
Royal flow 40 SC) @2.4 ml/kg seed									
T4 Vitavax 200	7.56	7.00	7,28	7.78	9.19	8.48	17.06	17.13	17.09
hiram 37.5% and arboxil 37.5%) @ 2g/kg Seed	(15.8)	(15.3)	(15.6)	(16.19)	(17.6)	(16.89)	(24.39)	(24.4)	(24.4)
T1 + Vitavax 200	0.25	0.25	0.25	5.81	2.25	4.03	4.69	3.13	3.91
hiram 37.5% and arboxyn @ 37.5% @ 2g/kg of seed)	(4.47)	(4.47)	(4.47)	(13.31)	(8.13)	(10.72)	(12.3)	(10.15)	(11.2)
T6	22.25 28.13)	17.56 (24.7)	19.12 (26.4)	20.69 (27.03)	18.13 (25.18)	19.41 (26.10)	25.00 (30.00)	24.63 (29.75)	24.81 (29.8)
Gurny bag	22.25 (15.26)	17.56 (14.06)		9.60 (17.82)	7.95 (15.36)		15.02 (22.01)	13.75 (20.77)	
HDPE bag CV(%)	10.2			11.4			6.91		
CD at 5%	0.000	A sale colored			4000			4450	
Container.	0.52	0.17		1.26	0.43		0.86	0.28	
Treatments.	1.07	0.36		1.19	0.39		1.50	0.51	
TXC	2.25	0.78		3.10	1.03		2.12	0.71	

Table 3. Effect of Polymer coating and fungicide on seedling vigour index of Paddy during storage (Pooled analysis)

storage (Poored analysis)										
	2 months			4 months			6 months			
	Gun	HD		Gun	HD		Gun	HD		
Treatments	ny	PE		ny	PE		my	PE		
	bag	bag		bag	bag		bag	bag		
Ti- Polymer coating (polykote @ 3	204	219	211	1907	196	193	1745	199	1871	
ml/kg of seed	2	2	7		5	6		6		
T2 - T1 + Fungicide (Thiram 75%	198	202	200	1641	172	168	1453	150	1477	
WP @ 2.5g / kg);	4	2	3		2	2		0		
T ₃ T ₁ + FlowableThiram (Royal	189	198	194	1906	198	194	1324	172	1526	
flow 40 SC) @2.4 ml/kg seed	1	9	0		5	6		8		
_										
T4 Vitavax 200 (Thiram 37.5% and	192	199	196	1841	193	188	1034	139	1212	
Carboxil 37.5%) @ 2g/kg Seed	4	7	0		0	6		0		
T ₅ T ₁ + Vitavax 200	214	233	224	1989	214	206	1896	214	2018	
(Thiram 37.5% and carboxyn @	6	6	1		6	7		0		
37.5% @ 2g/kgofseed)										
T6 Untreated control	162	161	161	1556	162	158	519	718	619	
	5	4	9		1	9				
Gunny bag	193	199		1807			1329			
	5	2								
HDPE bag				1878			1579			
CV (%)	2.95			3.56			5.15			
CD at 5%										
Container	37.2	12.2		45.3	15.1		36.9	12.1		
	7									
Treatment	164	21.5		58.5	20.2		71.3	23.8		
TXC	91.3	30.4		111.	37.1		115.	38.3		
				0	l l	l	0	I		

V. Bharathi/ N. V. Naidu/ M. Sudha rani / K. Kanaka durga /Seed Research and Technology Centre/ Acharya N. G. Ranga Agril University/ Hyderabad – 30/ Andhra Pradesh/ India/bharathiv@yahoo.com

ISBN 978-93-84124-44-1 323