INTEGRATION OF LIVESTOCK IN THE FARMING SYSTEM AND VIABILITY OF RAIN-FED FARMING SYSTEM

A.B.BHOSALE, V.A.SHINDE, V.M.AMRUTSAGAR, S.S.BHOSALE

Abstract: Integrated farming system comprising of crop and livestock has been sustainable over centuries. Integrated farming system research project consist of following components viz., crop production (0.55 ha), horticulture (0.40 ha), livestock (0.03 ha.), dairy farming (1 milking buffalo), poultry farming (100 birds/batch) and goat rearing (20 goats). Farm shed, buffalo shed, poultry house and farm pond on an area of 0.03 ha. Border plantation (0.02 ha.)The entire project is laid on an area of 1.00 ha. the present experiment is planned at Mulegaon research farm, Zonal Agricultural research Station, Solapur with the objectives to generate the integrated farming system model for efficient use of resources, to study the integrated farming system research and to study the economics and viability of rain-fed farming system.

The results of on farm Integrated farming system model conducted at Mulegaon research farm shows that expenditure, income, net profit and B:C ratio was found to be Rs. 75398, Rs. 117332, Rs. 41934 and 1.55, respectively. Net profit received from on farm integrated farming system was Rs.20035.

Keywords: Livestock, sustainable, farming system, horticulture, border plantation

Introduction: Integrated farming system comprising of crop and livestock has been sustainable over centuries. The system could be able to meet food needs of the ever-increasing population. In this system, animals are raised on agricultural waste and reared for milk and meat purpose and voids are used as manure and fuel. With this view, the present experiment is planned at Mulegaon research farm, Zonal Agricultural research Station, Solapur with the objectives to generate the integrated farming system model for efficient use of resources, to study the impact assessment of integrated farming system model in respect of employment generation, recycling of energy and increasing the income flow, to study the integration of livestock in the farming system research and to study the economics and viability of rain-fed farming system.

Experimental details of the study was Integrated farming system research includes crop component, horticulture and livestock components. The animal component was maintained on byproduct obtained from the crop production. The recommended technologies were followed while growing the scheduled cropping system. Considering the practical feasibility and agro climatic situation during the

cropping season the change in scheduled cropping pattern and acreage was made.

The data on cost of cultivation of farming system was recorded by day to day observation taken during the period. The detailed information on livestock maintenance was recorded and maintenance cost worked out. Based on this information, the cost of cultivation productivity and economic returns were estimated and presented.

Integrated farming system research project consist of following components viz., crop production (0.55 ha), horticulture (0.40 ha), livestock (0.03 ha.), dairy farming (1 milking buffalo), poultry farming (100 birds/batch) and goat rearing (20 goats). Farm shed, buffalo shed, poultry house and farm pond on an area of 0.03 ha. Border plantation (0.02 ha.)The entire project is laid on an area of 1.00 ha.

Results: Economics of all the four components viz; crop production, horticulture, livestock (animal, goat and poultry) and border plantation during the year 2009-10 to 2013-14 was worked out separately and presented in this study. The detailed componentwise distribution of area and its allocation is presented in the Table 1.

Table 1 Componentise area and its percent allocation

Sr. No.	Component	Area (ha)	Area allotted (%)
1.	Crop production	0.55	55.00
2.	Horticulture	0.40	40.00
3.	Livestock	0.03	3.00
4.	Border plantation	0.02	2.00
	Total	1.00	100.00

Integrated farming system research project consist of following components viz., crop production (0.55 ha),

horticulture (0.40 ha), livestock (0.03 ha.), dairy farming (1 milking buffalo), poultry farming (100

IMRF Journals 152

birds/batch) and goat rearing (20 goats). Farm shed, buffalo shed, poultry house and farm pond on an area of 0.03 ha. Border plantation (0.02 ha.)The entire project is laid on an area of 1.00 ha.

Cropping programme followed in the integrated farming system: The detailed cropping programme followed during the 2009-10 to 2013-14 for the integrated farming system was given in Table 2.

Table 2 Cropping programme followed during 2009-10 to 2013-14

Sr. No.	Summer		Kharif	Kharif		
31. 140.	Crop	Area (ha)	Crop	Area (ha)	Crop	Area(ha)
1.	Anola	0.40	Anola	0.40	Anola	0.40
2.	Fallow	(0.40)	Intercropping of	(0.40)	Fallow	(0.40)
			(Pigeonpea+Pearlmillet)			
3.	Fallow	(0.30)	Cowpea	0.30	Rabi sorghum	0.30
4.	Fallow	(0.10)	Maize fodder	0.10	Sorghum fodder	0.10
5.	Fallow	(0.15)	Fallow	0.15	Gram	0.15
	Total	0.95		0.95		0.95

Net cropped area : 0.95 ha. Gross cropped area : 1.75 ha. Cropping intensity : 184 %

While implementing cropping programme on dry region of integrated farming system, all the available resources were utilized at its extreme and hence, the cropping intensity was 184 per cent.

Grain yield obtained from crop production component in IFS (2009-10 to 2013-14): The grain yield received from all the crops of the crop component and average of five years from 2009-10 to 2013-14 was calculated and are presented in Table 3.

Table 3 Grain yield obtained from crop production component in IFS (2009-10 to 2013-14).

Sr.	Crop/variety	Area	Grain yiel	d (qt)	•			
No		(ha)	2009-10	2010-11	2011-12	2012-13	2013-14	Average
1	Pearlmillet (Shanti)	0.26	0.00	4.00	4.50	3.00	2.00	3.38
2	Pigeonpea(Vipula)	0.14	1.00	0.72	1.50	0.50	1.30	1.00
3	Cowpea(Phule pandhari)	0.30	0.00	2.00	1.25	0.00	1.00	1.42
4	Rabi Sorghum(Chitra)	0.30	1.08	2.50	1.50	0.00	0.75	1.46
5	Gram (Digvijay)	0.15	1.50	1.30	1.00	1.00	0.50	1.06
6	Fodder crops (MaizeAT)	0.10	-	-	-	-	-	-
7	Sorghum fodder (Phule Amruta)	0.10	-	-	-	-	-	-

Average grain yield for the crops viz; pearlmillet, pigeonpea, cowpea, *rabi* sorghum and gram was 3.38, 1.00, 1.42, 1.46, and 1.06 quintals, respectively.

Fodder yield obtained from crop production component in IFS (2009-10 to 2013-14): The fodder

yield received from all the crops of the crop component and average of five years from 2009-10 to 2013-14 was worked out and are presented in Table 4.

Table 4 Fodder yield obtained from crop cultivation component in IFS (2009-10 to 2013-14)

Sr.	Crop/variety	Area	Fodder yie	Fodder yield (qt)						
No		(ha)	2009-10	2010-11	2011-12	2012-13	2013-14	Average		
1	Pearlmillet (Shanti)	0.26	0.45	10.00	10.0	7.00	8.00	7.09		
2	Pigeonpea (Vipula)	0.14	0.50	1.50	5.00	2.00	0.50	1.90		
3	Cowpea(Phule pandhari)	0.30	10.00	4.50	5.00	30.00	15.00	12.90		
4	Rabi Sorghum(Chitra)	0.30	6.25	6.00	10.00	7.00	3.00	6.45		
5	Gram (Digvijay)	0.15	0.75	1.75	1.75	0.75	1.00	1.20		
6	Fodder crops (Maize)	0.10	12.00	35.00	80.00	27.00	20.00	34.80		
7	Sorghum fodder	0.10		15.00	20.00	22.00	19.00	19.00		

Average fodder yield for the crops viz; pearlmillet, pigeonpea, cowpea, rabi sorghum, gram, maize

fodder and sorghum fodder was 7.09, 1.90, 12.90, 6.45, 1.20, 34.80 and 19.00 quintals, respectively.

ISBN 978-93-84124-90-8 **153**

Overall economics of integrated farming system: While, summing up of the integrated farming system, overall economics of all the components of IFS was worked out and feasibility of the on station farming system was tested

Cost of production of integrated farming system: Cost incurred for all the components of farming system was worked out and presented in Table 5.

Table 5 Cost of production of integrated farming system (2009-10 to 2013-14)

Sr.	Crop	Area	Cost of production (Rs.)						
No.		(ha)	2009-10	2010-11	2011-12	2012-13	2013-14	Average	
1.	Crop production	0.55	10705	17035	23262	19083	17299	17476	
2.	Horticulture	0.40	5570	3732	4000	3232	4579	4223	
3.	Dairy farming	0.03	12321	0	18987	43656	28286	20650	
4.	Poultry farming		7532	10967	9422	9463	9747	9427	
5.	Goat rearing		18164	33263	14180	25877	21114	22520	
6.	Border plantation	0.02	900	1260	1200	1300	850	1102	
Total		1.00	55192	66257	71051	102611	81875	75398	

It has been observed that from the one hectare of area the cost incurred for production all the six components was Rs.75398, of that major items of cost was goat rearing (Rs.22520) followed by dairy farming (Rs.20650) and crop production (Rs.17476) components. The minimum cost was incurred for border plantation (Rs.1102).

Gross income from integrated farming system: Gross income received through all the components of farming system i.e. crop production, horticulture, dairy farming, poultry farming, goat rearing and border plantation was presented in Table 6.

Table 6 Gross income from integrated farming system.(2009-10 to 2013-14)

Sr.		Area	Gross income (Rs.)						
No.	Crop	(ha)	2009-10	2010-11	2011-12	2012-13	2013-14	Average	
1.	Crop production	0.55	16985	34249	45900	26197	23675	29400	
2.	Horticulture	0.40	7493	6375	7500	2306	4600	5655	
3.	Dairy farming	0.03	10112	0	37192	53500	59572	32075	
4.	Poultry farming		9810	16969	15740	17944	21400	16373	
5.	Goat Rearing		15225	58570	28871	32210	24569	31889	
6.	Border plantation	0.02	1250	1750	1800	2400	2500	1940	
Tota		1.00	60875	117913	137003	134557	136316	117332	

At the end of integrated farming system the gross income received from all the components of integrated farming system was Rs.115982 of which, maximum gross income received through dairy farming (Rs.32075) followed by goat rearing (Rs.31889) and crop production (Rs.29400).

Net income from integrated farming system: Net income received through all the components of farming system i.e. crop production, horticulture, dairy farming, poultry farming, goat rearing and border plantation was presented in Table 7.

Table 7 Net income from integrated farming system.(2009-10 to 2013-14)

Sr.	_	Area	Net income (Rs.)							
No.	Crop	(ha)	2009-10	2010-11	2011-12	2012-13	2013-14	Average		
1.	Crop production	0.55	6279	17214	22638	7117	6376	11924		
2.	Horticulture	0.40	1923	2643	3500	-926	0021	1432		
3.	Dairy farming	0.03	-2209	0	18205	9844	31286	11425		
4.	Poultry farming		2278	6002	6318	8481	11653	6946		
5.	Goat Rearing		-2939	25307	14691	6333	3455	9369		

IMRF Journals 154

6.	Border plantation	0.02	0350	490	600	1100	1650	838
Total		1.00	5683	51656	65952	31949	54441	41934

After deduction of gross income from the cost of cultivation the profitability or net income received through the integrated farming system was Rs.40584 from the one hectare of area. The maximum net returns received from crop production Rs.11924 followed by dairy farming Rs.11425.

Benefit cost ratio of integrated farming system: Overall profitability of any firm has been decided through the benefit cost ratio, if the ratio more than one it means that the enterprise become profitable. The benefit cost ratio of integrated farming system after completion of five years has been worked out and presented in Table 8.

Table 8 Benefit cost ratio of integrated farming system. (2009-10 to 2013-14)

Sr.	Сгор	Area (ha)	B:C ratio						
No.			2009-10	2010-11	2011-12	2012-13	2013-14	Average	
1.	Crop production	0.55	1.58	2.01	1.97	1.37	1.37	1.68	
2.	Horticulture	0.40	1.35	1.70	1.87	0.71	1.00	1.34	
3.	Dairy farming	0.03	0.82	0	1.95	1.22	2.10	1.55	
4.	Poultry farming		1.30	1.54	1.67	1.89	2.19	1.41	
5.	Goat Rearing		0.84	1.76	2.03	1.24	1.16	1.42	
6.	Border plantation	0.02	1.38	1.39	1.50	1.86	2.94	1.76	
Total		1.00	1.21	1.40	1.55	1.38	1.79	1.55	

At the end of project average benefit cost ratio from all the components of farming system was 1.54 which indicates that the on farm integrated farming system model was profitable, the maximum B:C ratio was observed in border plantation (1.76) this is because of no additional expenditure incurred on this component while in major components the maximum B:C ratio was of crop production component i.e. 1.68 followed by dairy farming (1.55).

Employment generation in integrated farming system: At the time of implementation of farming system, from each component various labours were utilized and employment was generated. The employment generated at various time and the net income received through the integrated farming system was worked out and presented in Table 9.

Table 9 Net income and employment generation in IFS model (2009-10 to 2013-14)

	Net inco	Net income						Employment generation				
Components	09-10	10-11	11-12	12-13	13-14	Total	09-	10-	11-	12-	13-	Total
							10	11	12	13	14	
Crop production	6279	17214	22638	7117	6376	59624	158	158	158	158	160	792
Horticulture	1923	2643	3500	-926	0021	411	95	95	95	95	95	475
Dairy farming	-2209	00	18205	9844	31286	57126	65	-	65	65	65	260
Poultry farming	2278	6002	6318	8481	11653	34732	09	12	09	09	09	48
Goat rearing	-2939	25307	14691	6333	3455	46847	180	180	180	180	153	873
Border plantation	350	490	600	1100	1650	4190	15	-	-	-	-	15
Total	5683	51656	65952	31949	54441	202930	522	445	507	507	482	2463

Total employment generated from all the components of integrated farming system was 2463 and net income received was Rs. 202930. The more employment was generated in the goat rearing (873) while net income received was Rs.46847 followed by crop production component (792) and net income (Rs.59624). Very less net returns were received

through horticulture component as employment generated was 475, this was because of dry spell at the time of flower initiation.

Comparison of on farm integrated farming system with the existing farming systems in the Solapur district of Maharashtra: The integrated farming system experiment was compared with the

study viz; Evaluation of existing farming systems in scarcity zone of Western Maharashtra conducted during 2009-10 the details are given below

While conducting the existing farming study the following methodology was adopted i.e. six farmers from each tahsils of Solapur district representing small (size group-I), medium (size group-II) and large

(size group-III) size group of holdings with different types of farming systems were selected purposively. Thus, in all 66 sample cultivators were studied.

Overall economic of the IFS model: For comparison the overall results of on farm integrated farming system is presented in Table 10.

Table 10 Overall economic of the IFS model (2009-10 to 2013-14)

Sr. No	Components	Area (ha	Cost of prod (Rs)	Gross income (Rs)	Net income (Rs)	B:C ratio
1.	Crop production	0.55	17476	29400	11924	1.68
2.	Horticulture	0.40	4223	5655	1432	1.34
3.	Dairy farming	0.03	20650	32075	11425	1.55
4.	Poultry farming		9427	16373	6946	1.73
5.	Goat rearing		22520	31889	9369	1.41
6.	Border plantation	0.02	1102	1940	838	1.76
Total		1.00	75398	117332	41934	1.55

Cost of production of all the components of on farm farming system was Rs.75398, gross income received was Rs.117332 and net income received from the integrated farming system model was Rs.41934 and the B:C ratio was 1.55 means the integrated farming system model was profitable.

Conclusions:

- 1. For the crop production component total cost of production incurred was Rs.17476. The gross income of Rs.29400 and net income of Rs.11924 has been received with 1.68 B:C ratio.
- 2. From the horticulture component the gross income of Rs. 5654/- has been received. The total cost incurred thereon was Rs.4223 with net returns were Rs.1432.00 with 1.34 B:C ratio.
- 3. Among the animal components from the dairy farming, the gross income received was Rs. 32075. The total cost of production is required thereon is Rs.20650/- with giving net return of Rs.11425/- with 1.55 B:C ratio.
- 4. From the poultry farming, the gross income of Rs. 16373/- has been received. The total cost of production is required thereon is Rs.9427/- with giving net return of Rs.6946/-with B:C ratio 1.73.

- 5. From the goat rearing, the gross income of Rs. 31889/- has been received. The total cost of production is required thereon is Rs.22520/- with giving net return of Rs.9369/- with 1.41 B:C ratio.
- 6. While from the border plantation crops, the gross income of Rs.1940/- has been received. The total cost is incurred there on is Rs.1102/- with net returns of Rs.838 and the B:C ratio was 1.76.
- 7. On farmers field survey on existing farming systems in the Solapur district was revealed that on per hectare basis the expenditure, income, net profit and B:C ratio was found to be Rs. 50160, Rs. 70709, Rs. 20549 and 1.41, respectively.
- 8. The results of on farm Integrated farming system model conducted at Mulegaon research farm shows that expenditure, income, net profit and B:C ratio was found to be Rs. 75398, Rs. 117332, Rs. 41934 and 1.55, respectively.
- 9. Net profit received from on farm integrated farming system over farmer's field survey was Rs.20035, which was 97.50 per cent more, over the existing farming systems on farmer's field.

References:

- N.K.Bhute, B.B.Bhosle, Yield, Economics and ICBR of Different IPM Modules; Life Sciences international Research Journal, ISSN 2347-8691, Volume 2 Issue 1 (2015), Pg 505
- 2. Chand, R., Prasanna, P. A. L. and A. Singh. 2011. Farm size and productivity: Understanding the strengths of smallholders and improving their livelihoods, Economic and Political Weekly, 46(26 & 27).
- 3. *Dr Jalaja Kumari. Divi*, Prevalence of Anemia Among Adolescent Girls in Guntur City of Andhra Pradesh; Life Sciences International Research Journal , ISSN 2347-8691, Volume 2 Spl Issue (2015): Pg 64-68
- 4. Pandey, C. M., Singh, J. V. and R. A. S. Patel. 2008. Operational Land Use Policy for Sustainable Agriculture Production in India. Water and Energy Abstracts.18 (2). pp 27. PDFSR. 2011.

IMRF Journals 156

- 5. *Dr. Archana Kushwaha*, Photo-Oxygenation of Ferrocene in Presence of Rose Bengal and Hexane As A Solvent; Life Sciences International Research Journal , ISSN 2347-8691, Volume 2 Spl Issue (2015): Pg 77-79
- 6. Dr. Shehla Ishaque, Anil Sarsvan, Minal Lodha, Manohar Pawar, Herpetofaunal Diversity of Vikram University Campus; Life Sciences international Research Journal, ISSN 2347-8691, Volume 2 Issue 1 (2015), Pg 424-427
- 7. Singh, R. B., Kumar, P. and T. Woodhead. 2002. Smallholder farmers in India: Food security and Agricultural policy. Food and agriculture organization of the United Nations Regional Office for Asia and the Pacific Bangkok, Thailand RAP publication: 2002/03.
- 8. A. S. Gawali, Dr. J. S. Kumbhar, B. J. Deshmukh, Economic Analysis of Price Parity of Major Crops in Maharashtra State of India; Life Sciences International Research Journal, ISSN 2347-8691, Volume 2 Issue 2 (2015): Pg 199-206
- Channabasavanna, A. S., Biradar, D. P., Prabhudev, K. N. & Mahabhaleswar Hegde. (2009). Development of profitable integrated farming system model for small and medium farmers of Tungabhadra project area of Karnataka. Karnataka Journal of Agric. Sci., 22(1), pp. 25-27.
- 10. Rita Ganava, Reena Ganava, R.R.Kanhere, Hemant Pandit, Endosulfan induced Changes in Oxygen Consumption And Haematological Parameters in Tilapia Mossambica; Life Sciences International Research Journal, ISSN 2347-8691, Volume 2 Spl Issue (2015): Pg 7-10

- 11. Ramrao, W. Y., Tiwari, S. P. & Singh, P. (2005). Crop-livestock integrated farming system for augmenting socio-economic status of smallholder tribal of Chhattisgarh in central India. Livestock Research for Rural development, Volume 17, Article# 90 Retrieved May 17, 2006, from http://www.cipav.org.co
- 12. Redkar Shilpali, Anthappan P D, Biocontrol Potenial of A Siderophore Producing Pseudomonas Aeruginosa; Life Sciences International Research Journal , ISSN 2347-8691, Volume 2 Spl Issue (2015): Pg 284
- 13. Sharma, Y. K., Bangarva, G.S. & Sharma, S.K. (2008). Farming System Based Constraints Faced by Farmers. Indian Research Journal of Extension Education, 8 (1), pp. 57-59.
- 14. Chamundeswari N, Satyanarayana Pv, Manasa Y, Uma Sundari P, Ravi Kumar B,Girija Rani M, Ramana Rao Pv, Vishnuvardhan K, Correlation and Path Analysis for Yield and Quality; Life Sciences International Research Journal, ISSN 2347-8691, Volume 1 Issue 1 (2014): Pg 331-337
- 15. Prasad, S. Chakravorty , P. Deb, Food-Nutritional & Aesthetic Security for Future B. V. G. ; Life Sciences International Research Journal , ISSN 2347-8691, Volume 1 Issue 1 (2014): Pg 321-324
- 16. Raut Sonali, M.K.Rathod and Kavita Deshmukh (2013). Integrated system model for the farmers of Wardha district of Vidarbha. Indian Journal of Applied research vol:3 (9) August 2013 pp. 1-3.
- 17. P.B.Reddy,,Sangita Pal, Endocrine Disruptors: A Global Threat for the; Life Sciences International Research Journal, ISSN 2347-8691, Volume 1 Issue 1 (2014): Pg 325-327

Dr. Arun Bhagwan Bhosale, Asst. Prof. of Horticulture
Dr. Vishwanath Anant Shinde, Assot. Prof. of Agricultural Economics
Dr. Vijay Maruti Amrutsagar, Assot Director of Research
Zonal Agricultural Research Station, Solapur -413002 Maharashtra, Affiliated to Mahatma Phule Krishi
Vidyapeeth, Rahuri Dist: Ahmednagar Maharashtra
Dr. Sanjay Sampat Bhosale

Assot Prof. of Agricultural Economics, Regional Fruit Research Station Ganeshkhind Pune-413007 Maharashtra, Affiliated to Mahatma Phule Krishi Vidyapeeth Rahuri Dist: Ahmednagar Maharashtra